

Ikegami

GIVING NEW VALUE TO IMAGES



Security Camera Series

Ikegami




2009 CCTV PRICE LIST




Effective April 15, 2009
Dealer PRICING

IKEGAMI ELECTRONICS(U.S.A.), INC.

37 BROOK AVE. MAYWOOD, NJ 07607
TEL: 800-368-9171 FAX: 201-368-1305
Web:<http://www.ikegami.com>

CAMERAS

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u> (Power Consumption - Outer Dimension - Weight)	<u>LIST</u>	<u>DLR</u>
1/3" B/W	 ICD-38*	380 TVL - 0.07 lux/ F1.2- AES - BLC - 24VAC - Mirror Image - Isolation Transformer (4W - 2.44"x 2.17" x 3.86" - 1.19 lbs) Made in Japan	192	128
	 ICD-68*	380 TVL - 0.3 lux/ Wide Angle Side - AES - BLC - 24VAC - Built-In Auto Iris 4-9mm Varifocal Lens (1.7W - 5.07"x 4.95" - 1.39 lbs) Made in Japan	116	77
	 XHG-6829	In Ceiling Mount Adaptor for ICD-68 (1.12 lbs) Made in Japan	96	64
	M3-K32915	Clear Cover for ICD-68. Made in Japan	32	21

1/2" B/W HI-Res & ULTRA LOW LIGHT/ HIGH IR SENSITIVITY				
	ICD-49	570 TVL - 0.0075 lux/ F1.2 - AES - BLC - 24VAC/12VDC - ULTRA HIGH "IR" SENSITIVITY (3.3W - 2.52" x 2.52" x 2.09" - 0.55 lbs) Made in Japan	562	374
	ICD-48	570 TVL - 0.0075 lux/ F1.2 - AES - BLC - 24VAC/12VDC - ULTRA HIGH "IR" SENSITIVITY - Multi-Function DSP - Remote Set Up - GENLOCK (4.3W - 2.44" x 2.17" x 4.65" - 0.95 lbs) Made in Japan	752	500
	ICD-47 *	570 TVL - 0.015 lux/ F1.2 - AES - BLC - 24VAC - ULTRA HIGH "IR" SENSITIVITY (5W - 2.76" x 2.36" x 4.92" - 1.59 lbs) Made in Japan	494	329

* Limited quantity available




*None of the Cameras include C Mount Adaptor or 4 Pin Auto Iris Connector




Winner of "Security Sales & Integration" TOP 30 selection

	ISD-A10	1/3"DPS - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.75 lux/F1.2 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC (5.2W - 2.51" x 2.51" x 2.48" - 0.77 lbs) Made in Japan	553	368
	ISD-A20	1/3"DPS - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.012 lux/F1.2 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC (3.2W - 2.44" x 2.16" x 4.80" - 0.92 lbs) Made in Japan	810	539
	ISD-A21	1/3"DPS - 36 Steps Level HYPER DYNAMIC™ - 520 TVL - 0.074 lux/F1.2 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC (3.7W - 2.44" x 2.16" x 4.80" - 0.92 lbs) Made in Japan	989	658
	ISD-A30 TYPE26	1/3"DPS - Built-In Auto Iris 2.6-6mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC Made in Japan	696	463
	ISD-A30 TYPE49	1/3"DPS - Built-In Auto Iris 4-9mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC, Made in Japan	696	463
	ISD-A30 TYPE92	1/3"DPS - Built-In Auto Iris 9-22mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC, Made in Japan	736	490
	XHG-3029	In Ceiling Mount Adaptor for ISD-A30, Made in Japan	110	73
	IK-WM120-I	Wall Mount for ISD-A30 85 x 144 x 175 mm (W x H x D) 1000g Approx. Made in USA	34	23
	IK-WB120-I	Wall Mount for ISD-A30 154 x 77 mm (W x H) 650g Approx. Made in USA	86	57
	IK-CB120-I	Pendant Mount for ISD-A30 154 x 77 mm (W x H) 650g Approx. Made in USA	86	57

* None of the Cameras include C Mount Adaptor or 4 Pin Auto Iris Connector





<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u> (Power Consumption - Outer Dimension - Weight)	<u>LIST</u>	<u>DLR</u>
	ISD-A31 TYPE26	1/3"DPS - Vandal Resistant - Built-In Auto Iris 2.6-6mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC. Made in Japan	832	553
	ISD-A31 TYPE49	1/3"DPS - Vandal Resistant - Built-In Auto Iris 4-9mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC. Made in Japan	832	553
	ISD-A31 TYPE92	1/3"DPS - Vandal Resistant - Built-In Auto Iris 9-22mm - 36 Steps Level HYPER DYNAMIC™ - 480 TVL - 0.8 lux/F1.6 - 50 dB S/N Ratio - AGC - Electric Sensitivity Up - 24VAC/12VDC. Made in Japan	870	579
	IK-DSB-PWMVCN-CG	Wall Mount for ISD-A31 170 x 155 x 250 mm 900g Approx. Aluminum Construction. Made in USA	108	72
	IK-VCNB-320CB	Pendant Mount for ISD-A31 150 x 500 mm (W x H) 2,100g Approx. Aluminum Construction. Made in USA	108	72

1/3" HI-Res DIGITAL COLOR				
	FCD-B11-43	1/3" CCD 480TVL Color Board Camera DC12V w/ 4.3mm F2.0 Lens - Made in Taiwan	230	153
	ICD-505	520 TVL - 0.10 lux/ F1.0 in B/W mode-48 dB S/N Ratio-AES-BLC-AGC-24VAC/12VDC- CUBE DESIGN, Day/Night (3.6W-2.52" x 2.09" - 0.55 lbs) Made in Japan	278	185
	ICD-509	540TVL/570TVL - 0.037 lux/F.1.2 in B/W mode- 52dB S/N Ratio-AES-BLC-AGC- 24VAC/12VDC - True Day/Night (3.8W - 2.44" x 2.17" x 3.94" - 0.66 lbs) New Product Made in Japan	360	239
	ICD-809	540TVL/570TVL - 0.015 lux/F 1.2 in B/W mode - AES - BLC- 24VAC/12VDC - SMEAR LEVEL (-115dB) - Day/Night - Privacy Screen Masking - Remote & Local Setup - GENLOCK - (4.3W - 2.44" x 2.17" x 4.80" - 0.93lbs) Made in Japan	608	404
	ICD-608 TYPE26*	480 TVL - 1.0 lux/ Wide Angle Side - 48 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 2.6-6mm Varifocal Lens - Digital Day/Night (3.2"W x 5.07"D x 4.95"H - 1.39 lbs) Made in Japan	410	273
	ICD-608 TYPE92*	480 TVL - 1.0 lux/ Wide Angle Side - 48dB S/N Ratio - AES - BLC- AGC- 24VAC/12VDC - Built-in Auto Iris 9-22mm Varifocal Lens - Digital Day/Night (3.2"W x 5.07"D x 4.95"H - 1.39lbs) Made in Japan	429	286
	XHG-6829	In Ceiling Mount Adaptor for ICD-608 (1.12 lbs) Made in Japan	96	64
	M3-K32915	Clear Cover for ICD-608/ICD-609/ICD-68. Made in Japan	32	21
	ICD-609 TYPE31	540TVL/570TVL - 0.08 lux F1.2/ Wide Angle Side - 52 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 2.9-10mm Varifocal Lens - High Resolution Day/Night (3.2"W x 5.07"D x 4.95"H - 1.39 lbs) Made in Japan	508	338
	ICD-609 TYPE92	540TVL/570TVL - 0.08 lux F1.2/ Wide Angle Side - 52 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 9-22mm Varifocal Lens - High Resolution Day/Night (3.2"W x 5.07"D x 4.95"H - 1.39 lbs) Made in Japan	540	359
	XHG-6929	Ceiling Mount Adaptor for ICD-609	120	80
	M3-K32915	Clear Cover for ICD-68. Made in Japan	32	21


* None of the Cameras include C Mount Adaptor or 4 Pin Auto Iris Connector

* Limited quantity available



CAMERAS








<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/3" VANDAL RESISTANT INDOOR/ OUTDOOR COLOR DOME CAMERA				
	ICD-608VR*	480 TVL - 1.0 lux/ Wide Angle Side - 48 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 4-9mm Varifocal Lens - Vandal Resistant (3.2"W x 5.99"D x 4.49"H - 3.65lbs) Made in Japan, assembled in USA	615	410
	ICD-609 TYPE31VR	540 TVL/570 TVL - 0.08 lux F1.2/ Wide Angle Side - 52 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 2.9-10mm Varifocal Lens - High Resolution Day/Night (3.2"W x 5.99"D x 4.49"H - 3.65 lbs) Made in Japan, assembled in USA	735	490
	ICD-609 TYPE92VR	540TVL/570TVL - 0.08 lux F1.2/ Wide Angle Side - 52 dB S/N Ratio - AES - BLC - AGC - 24VAC/12VDC - Built-In Auto Iris 9-22mm Varifocal Lens - High Resolution Day/Night (3.2"W x 5.99"D x 4.49"H - 3.65 lbs) Made in Japan	767	511
	IK-WMV	Wall arm mount for ICD-609VR Vandal Resistant Dome. Made in USA	108	72
	IK-CPMV	Ceiling pipe mount for ICD-609VR Vandal Resistant Dome. Made in USA *Pipe not included	74	49
	IK-PIPE1	1 ft threaded pipe for use with IK-CPMV. Made in USA	42	28
	IK-PIPE2	2 ft threaded pipe for use with IK-CPMV. Made in USA	56	37
	IK-PIPEC	Pipe Coupler for use with IK-PIPE1 or IK-PIPE2. Made in USA	20	13

ICD-38/ ICD-47/ICD-48/ICD-49 Cameras DO NOT Include Optional 4-Pin Auto Iris Lens Connector
 ICD-505/809 Camera DO NOT Include Optional 4-Pin Auto Iris Lens Connector
 ICD-505/ 809 Camera DO NOT Include Optional C-mount Lens Adaptor Ring

1/2" Hi-Res DIGITAL COLOR ULTRA LOW LIGHT & DAY NIGHT HIGH IR SENSITIVITY				
	ICD-879	540 TVL/570TVL - 0.011 lux/F 1.2 in B/W mode - AES - BLC -24VAC/12VDC- SMEAR LEVEL (-115dB) - Day/Night - Privacy Screen Masking - Remote & Local Setup - Electronic Sensitivity up -GENLOCK - (5.3W - 2.44"x2.17"x4.80" - 1.10 lbs) Made in Japan	1,012	673











ICD-879 Camera DO NOT Include Optional 4-Pin Auto Iris Lens Connector
 ICD-879 Camera DO NOT Include Optional C-mount Lens Adaptor Ring

REMOTE CAMERA SET UP BOX				
	RCU-701*	Control Unit for REMOTE SET-UP of the ICD-809, ICD-879, or ISD-A21. Made in Japan	410	273
	RCU-801	Control Unit for REMOTE SET-UP of the ICD-809, ICD-879, or ISD-A21. Made in Japan	448	298
	RSU-871*	RS-232C Control Unit for REMOTE SET-UP of the ICD-809, ICD-879, or ISD-A21. Made in Japan	410	273

JPEG2000 Based IP Network Products				
	IPD-Q01	Network Camera - JPEG2000 Compression - 30fps Maximum -Motion Detection (Max 1,350 positions) - RJ45 Interface & BNC Video Out - Audio IN/OUT - I/O Terminal - AC24V/DC12V - (8W - 2.44"x2.16"x5.31" - 1.32 lbs) Made in Japan	1,346	895
	IPD-Q38T	Pan/Tilt & Zoom Network Camera - JPEG2000 Compression - Built-in 35X Optical Zoom - 420 Degree/sec. Pan&Tilt Speed - Tour Function - One Click Scope Function. Comes w/Pendant Mount. Made in Japan	3,938	2,619
	IPD-Q38U	Pan/Tilt & Zoom Network Camera - JPEG2000 Compression - Built-in 35X Optical Zoom - 420 Degree/sec. Pan&Tilt Speed - Tour Function - One Click Scope Function. Comes w/Ceiling Mount. Made in Japan	3,938	2,619
	IK-ODW7C2T	Outdoor Housing with Mount for IPD-Q38	888	591
	IEN-T01	Network Encoder - JPEG2000 Compression - 30fps Maximum -Motion Detection (Max 1,350 positions) - RJ45 Interface & BNC Video Out - Audio IN/OUT - I/O Terminal - AC24V/DC12V - (8W - 3.46"x1.73"x6.26" - 1.37 lbs)	1,504	1,000
	IDE-V01	Network Decoder - JPEG2000 Compression - RJ45 Interface & BNC Video Out - Audio IN/OUT - AC24V/DC12V. Made in Japan	2,064	1,373
	INR-Q500	Network Video Recorder - JPEG2000 Compression - 32 of camera/ encoder video and audio - 240fps video recording with the highest quality picture - 4 clients simultaneous connection - (350W) Made in Japan	10,800	7,182

* Limited quantity available

SPEED DOME CAMERA SYSTEM

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
SPEED DOME CAMERA SYSTEM				
	PCS-35	470TVL - 50dB - 0.01 lux at F1.6 - x10 Electric Zoom & x23 Optical Zoom - Compact and Stylish Design - 32 Times HYPER DYNAMIC - Day/Night - 360 Degree/Sec. Pan&Tilt (21W - Ø5.46"xH8.19" - 4.85 lbs) Made in Japan	2,013	1,342
	PCS-35KB	High Grade Keyboard for PCS-35 3D Joystick - Membrane Swiches - Backlight LCD (-W - 11.4"x 2.2"x8.3" - 5.5lbs) Made in Japan	1,820	1,210
	PCS-358	8 channel preset controller for PCS-35 (16.9"x3.5"x13.8" - 18.8lbs) Made in Japan	6,330	4,209
	PCS-351	1 channel preset controller for PCS-35 (8.5"x1.7"x13.8" - 6.6lbs) Made in Japan	2,204	1,466
	PCS-35HB	Connecting between PCS-35KB and a preset controller an additional PCS-35KB can be connected (8.5"x1.7"x13.8" - 5.3lbs) Made in Japan	1,168	777
	PCS-35SC	System Controller for PCS-35 speed dome camera system (16.9"x1.7"x13.8" - 13.2lbs) Made in Japan	4,628	3,078
	XHG-3529	Indoor Ceiling Mount Kit for PCS-35. Made in Japan	332	221
	PCS-10HL	Indoor Pipe and Mount set (To be used with XHG-3519) Made in Japan	210	140
	XHG-3519	Indoor Adapter between PCS-35 and PCS-10HL.	304	202
	IK-W6C2X1	Outdoor Housing for PCS-35 w/ 1 Heater & 2 Blower. Made in Japan	888	591
	IK-P6C2X1	Outdoor Housing for PCS-35 w/ 1 Heater & 2 Blower. Made in Japan	1,102	733
	IK-P6C2X1 (IK-VL135)	Outdoor Housing for PCS-35 w/ 1 Heater & 2 Blower. Made in Japan	1,102	733
	IK-P6C2X1 (IK-VL260)	Outdoor Housing for PCS-35 w/ 1 Heater & 2 Blower. Made in Japan	1,134	754
	IK-PM3	Pole Mount Adaptor (Dia 3.2" - 16") Made in Japan	200	133

B/W CAMERA KITS

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/2" B/W ULTRA LOW LIGHT - HIGH IR SENSITIVITY				
	KIT-48 OD	1 - ICD-48 B&W Camera 570TV Line 1 - IK-12VG412ASIR-SQ 4-12 mm DC Auto Iris Varifocal Lens Aspherical IR 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	1,010	677
	KIT-48 ID	1 - ICD-48 B&W Camera 570TV Line 1 - IK-12VM412ASIR 4-12 mm Manual Iris Varifocal Lens Aspherical IR 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	922	618
	KIT-49 OD	1 - ICD-49 B&W Camera 570TV Line 1 - IK-12VG412ASIR-SQ 4-12 mm DC Auto Iris Varifocal Lens Aspherical IR 1 - CAMH-400K, 12" OUTDOOR HOUSING w/ Mount 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	810	543
	KIT-49 ID	1 - ICD-49 B&W Camera 570TV Line 1 - IK-12VM412ASIR 4-12 mm Manual Iris Varifocal Lens Aspherical IR 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	738	494
	KIT-49 ID1	1 - ICD-49 B&W Camera 570TV Line 1 - IK-DV5x3.6R4B-SA2L 3.6-18mm DC Auto Iris Varifocal Lens	664	445
	KIT-49 PRO	1 - ICD-49 B&W Camera 570TV Line 1 - IK-12VG412ASIR-SQ 4-12mm DC Auto Iris Varifocal Lens	734	492

COLOR CAMERA KITS

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/3" DIGITAL COLOR FOR INDOOR USE				
	KIT-505 ID-X	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VM2812ASW 2.8-12mm Manual Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender	380	253
	KIT-505 ID	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VM2812ASW 2.8-12mm Manual Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	388	260
	KIT-505 ID2	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VM550W, 5.0-50mm Manual Iris Varifocal 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	456	306
	KIT-505 ID3	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-TV3X0310M 3.0-8.5 mm Manual Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	372	249
	KIT-505 HH	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VM2812ASW 2.8-12mm Manual Iris Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply 1 - IK-SP101 In Ceiling 5" High Hat Housing	460	308
	KIT-505 IDA	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG2812ASW-SQ 2.8-12mm DC Auto Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	414	277
	KIT-505 IDA2	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG550W-SQ, 5.0-50mm DC Auto Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	472	316
1/3" DIGITAL COLOR FOR OUTDOOR USE (No Heater)				
	KIT-505 OD	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG2812ASW-SQ 2.8-12mm DC Auto Iris Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply 1 - CAMH-400K, 12" OUTDOOR HOUSING w/ Mount	456	306
	KIT-505 OD2	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG550W-SQ, 5.0-50mm DC Auto Iris Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply 1 - CAMH-400K, 12" OUTDOOR HOUSING w/ Mount	514	344
	KIT-505 OD3	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-TV3X0310D 3.0-8.5mm DC Auto Iris (Adjustble View) Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply 1 - CAMH-400K, 12" OUTDOOR HOUSING w/ Mount	436	292
	KIT-505 ODH	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG2812ASW-SQ 2.8-12mm DC Auto Iris Varifocal Lens 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White) 1 - CAMH-500K, 12" HOUSING w/ Mount - Heater & Blower	498	334
	KIT-505 OD2H	1 - ICD-505 Day/Night Color Camera 520TV Line 1 - IK-13VG550W-SQ, 5.0-50mm DC Auto Iris Varifocal Lens 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White) 1 - CAMH-500K, 12" HOUSING w/ Mount - Heater & Blower	556	373





COLOR CAMERA KITS








<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/3" DIGITAL COLOR FOR INDOOR USE				
	KIT-509 ID3	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV3X0310M-Beige 3.0-8.5mm Manual Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	462	310
	KIT-509 IDA	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV4X2812D 2.8-12mm DC Auto Iris Varifocal 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	530	355
	KIT-509 IDA2	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV7X7513D 7.5-50mm DC Auto Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	546	366
1/3" DIGITAL COLOR FOR OUTDOOR USE				
	KIT-509 OD	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV4X2812D 2.8-12mm DC Auto Iris Varifocal Lens 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White) 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower	554	371
	KIT-509 OD2	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV7X7513D 7.5-50mm DC Auto Iris Varifocal Lens 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White) 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower	612	410
	KIT-509 OD3	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV3X0310D-Beige 3.0-8.5mm DC Auto Iris Varifocal Lens 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White) 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower	534	358
	PAC-508 OD	1 - ICD-508 Day/Night Color Camera 520TV Line 1 - IK-13VG2812ASW-SQ 2.8-12mm DC Auto Iris Varifocal Lens 1 - HS9480PKG 10.9" Housing 1 - MT9215S Wall Mount	586	390
	PAC-508 OD2	1 - ICD-508 Day/Night Color Camera 520TV Line 1 - IK-13VG550W-SQ, 5.0-50mm DC Auto Iris Varifocal Lens 1 - HS9480PKG 10.9" Housing 1 - MT9215S Wall Mount	654	435
	PAC-509 OD	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV4X2812D 2.8-12mm DC Auto Iris Varifocal Lens 1 - HS9480PKG 10.9" Housing 1 - MT9215S Wall Mount	688	458
	PAC-509 OD2	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV7X7513D 7.5-50mm DC Auto Iris Varifocal Lens 1 - HS9480PKG 10.9" Housing 1 - MT9215S Wall Mount	740	492
	PAC-509 ODH	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV4X2812D 2.8-12mm DC Auto Iris Varifocal Lens 1 - HS9483PKG 15.9" Housing with heater & blower 1 - MT9215 wall mount	778	517
	PAC-509 OD2H	1 - ICD-509 Day/Night Color Camera 540TV Line 1 - IK-TV7X7513D 7.5-50mm DC Auto Iris Varifocal Lens 1 - HS9483PKG 15.9" Housing with heater & blower 1 - MT9215 wall mount	832	553
	IK-HS9480SS	Optional Sun Shade for PAC-508 OD/508 OD2/ PAC-509 OD/509 OD2	45	30
	IK-HS9483SS	Optional Sun Shade for PAC-509 ODH & PAC-509 OD2H	54	36




COLOR CAMERA/ HYPER DYNAMIC DPS COLOR CAMERA KITS

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/2" ULTIMATE DAY & NIGHT OPERATION FOR OUTDOOR OR INDOOR USE (HIGH IR SENSITIVITY)				
	KIT-879 OD2	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-HV7517D 7.5-75 mm DC Auto Iris Varifocal Lens 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	1,358	910
	KIT-879 OD4	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-DV5x3.6R4B-SA2L, 3.6-18 mm DC Auto Iris Varifocal Lens 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	1,220	817
	KIT-879 OD5	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-12VG1040ASIR 10-40 mm DC Auto Iris Varifocal Lens Aspherical IR 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	1,280	858
	KIT-879 PRI	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-DV10x7B-SA2L, 7-70 mm DC Auto Iris Varifocal Lens 1 - CAMH-200B 15" OUTDOOR HOUSING w/ Mount - Heater & Blower 1 - MGT2450 24VAC 50VA Plug-in TRANSFORMER (White)	1,284	860
	KIT-879 ID1	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-DV5x3.6R4B-SA2L 3.6-18mm DC Auto Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	1,154	773
	KIT-879 ID2	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-HV7517D 7.5-75 mm DC Auto Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	1,292	866
	KIT-879 ID3	1 - ICD-879 IR Day & Night Color Camera 540TV Line 1 - IK-12VG1040ASIR 10-40 mm DC Auto Iris Varifocal Lens Aspherical IR 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	1,214	813
1/3" HYPER DYNAMIC DPS COLOR FOR INDOOR USE				
	KIT-A10 ID	1 - ISD-A10 Hyper Dynamic DSP Camera 480TV Line 1 - IK-13VM2812ASW 2.8-12mm Manual Iris Varifocal Lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	656	440
	KIT-A10 ID2	1 - ISD-A10 Hyper Dynamic DSP Camera 480TV Line 1 - IK-13VM550W, 5.0-50mm manual iris varifocal lens 1 - CMB-1W Universal metal bracket with ceiling Clip and 2 extender 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	724	485
	KIT-isd-A11-25	1 - ISD-A11 Hyper Dynamic Mini Camera 1 - 2.5mm F2.0 Miniature Fixed Focal High Resolution Lens 1 - Metal Case	570	379
	KIT-isd-A11-29	1 - ISD-A11 Hyper Dynamic Mini Camera 1 - 2.9mm F2.0 Miniature Fixed Focal High Resolution Lens 1 - Metal Case	570	379
	KIT-isd-A11-36	1 - ISD-A11 Hyper Dynamic Mini Camera 1 - 3.6mm F2.0 Miniature Fixed Focal High Resolution Lens 1 - Metal Case	570	379
	ACDC2412-300MA	AC24V to DC12V Converter (300ma)	29	19
1/3" HYPER DYNAMIC DPS COLOR FOR OUTDOOR USE (No Heater)				
	KIT-A10 OD	1 - ISD-A10 Hyper Dynamic DSP Camera 480TV Line 1 - IK-13VG2812ASW-SQ 2.8-12mm DC Auto Iris Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply 1 - CAMH-400K, 12" OUTDOOR HOUSING w/ Mount	724	485
	KIT-A10 OD2	1 - ISD-A10 Hyper Dynamic DSP Camera 480TV Line 1 - IK-13VG550W-SQ, 5.0-50mm DC Auto Iris Varifocal Lens 1 - PS-2410 24VAC 10VA Camera Plug - In Power Supply	782	524

MONITORS











<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
	VCM-903	10" COLOR Monitor - 300TVL - 2 Video Input - NTSC & PAL. Made in Thailand	622	414
	VCM-14H	14" Color Monitor - 350TVL - Audio - NTSC & PAL Compatible - Auto-sensing AC90V - 260V (56W - 14.7" x 14" x 14.6" - 23 lbs). Made in S. Korea	340	226
	RMK-14H	RACK MOUNT KIT ONLY for (1) VCM-14H. Made in USA	190	126
	VCM-200A	20" Color Monitor - 350TVL - Audio - NTSC & PAL Compatible - Auto-sensing AC90V - 260V (56W - 19.8" x 17.8" x 17.9" - 44.1 lbs) Made in S. Korea	422	281



COLOR HIGH RESOLUTION				
	VCM-1501	15" Color Monitor - Metal Cabinet - 700TVL - Audio NTSC & PAL - Auto-sensing AC90V-260V (80W - 14" x 13.1" x 15" - 34.6 lbs) Made in China	472	314
	RMK-1401	RACK MOUNT KIT ONLY for (1) VCM-1501. Made in USA	152	101
	RMH-1401	Rack Mount HANDLES for RMK-1401. Made in USA	46	31
	VCM-1701	17" Color Monitor - Metal Cabinet - 700TVL - Audio NTSC & PAL - Auto-sensing AC90V-260V (95W - 16" x 14.5" x 16" - 41 lbs) Made in China	800	532
	RMK-1701	Rack Mount KIT ONLY for (1) VCM-1701. Made in USA	152	101
	RMH-1701	Rack Mount HANDLES for RMK-1701. Made in USA	46	31
	VCM-2101	21" Color - Metal Cabinet - 450TVL - A/B Inputs - Audio NTSC & PAL - Auto-sensing AC90V-260V (67W - 18.7" x 16.9" x 18.4" - 57.3 lbs) Made in S. Korea	572	380

MONITOR MOUNTS				
	*IK-VMP042	Ceiling Mount for 9"-12" CCTV Monitor. Made in China	84	56
	*IK-VMP044	Wall Mount for 9"-12" CCTV Monitor. Made in China	84	56
	IK-VMP046/048	Ceiling & Wall mount set for 13"-20" CCTV Monitor. Made in China	110	73




*Limited quantity available

MONITORS


<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u> (Power Consumption - Outer Dimension - Weight)	<u>LIST</u>	<u>DLR</u>
LCD SECURITY SURVEILLANCE MONITOR				
	LCM-201H	20.1" LCD Monitor w/Metal Case - High Resolution UXGA 1600 x 1200 Panel Inputs - Video IN/OUTx2(BNC) - Component - S-Video - DVI - HDMI - Made in S. Korea	1,386	924
	RMK-LCM201H	Rack Mount for LCM-201H	40	27
	LCM-150	15" High Resolution Security Surveillance LCD Monitor 1024x786 Resolution -450cd/m2 Brightness - 400:1 Contrast Ratio - No VESA Wall Mount - Easy Front Control Volumes for Brightness, Contrast, Tint, and Color when a composite video is input - Input- Video IN/OUTx2 (BNC)- S-Video-PC (31W - 14.4"x15.3"x7" - 12.3lbs) - Made in S. Korea	894	595
	RMK-15	Rack mount for LCM-150 (L&R) Made in S. Korea	28	19
	LCM-170	17" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 500:1 Contrast Ratio - No VESA Wall Mount- Easy Front Controls Volumes for Brightness, Contrast, Tint and Color when a composite video is input - Input- Video IN/OUTx2 (BNC) - S-Video - PC (36W - 15.4"x16.7"x7" - 13.2 lbs) - Made in S. Korea	1,108	737
	RMK-17	Rack mount for LCM-170 (L&R) Made in S. Korea	34	23
	LCM-190	19" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 700:1 Contrast Ratio - No VESA Wall Mount- Easy Front Controls Volumes for Brightness, Contrast, Tint and Color when a composite video is input - Input - Video IN/OUTx2 (BNC) - S-Video- PC (40W - 20"x20.6"x8.7" - 15.4 lbs) Made in S. Korea	1,322	879
	RMK-19	Rack mount for LCM-190 (L&R) Made in S. Korea	42	28
	LCM-1501	15" High Resolution Security Surveillance LCD Monitor 1024x768 Resolution - 450cd/m2 Brightness - 400:1 Contrast Ratio - Input - Video IN/OUTx2 (BNC) - S-Video-PC (31W - 14.4"x15.3"x7" -12.3lbs) No VESA Wall Mount. Made in S. Korea	834	555
	RMK-15	Rack mount for LCM-1501 (L&R) Made in S. Korea	28	19
	LCM-1701	17" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 500:1 Contrast Ratio - No VESA Wall Mount - Input- Video IN/OUTx2 (BNC) - S-Video - PC (36W - 15.4"x16.7"x7" - 13.2 lbs) Made in S. Korea	1,048	702
	RMK-17	Rack mount for LCM-1701 (L&R) Made in S. Korea	34	23
	LCM-1901	19" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 700:1 Contrast Ratio - No VESA Wall Mount - Input - Video IN/OUTx2 (BNC) - S - Video - PC (40W - 20"x20.6"x8.7" - 15.4 lbs) Made in S. Korea	1,262	839
	RMK-19	Rack mount for LCM-1901 (L&R) Made in S. Korea	42	28
	ULM-153	1024x768 Resolution - 250cd/m2 Brightness - 600:1 Contrast Ratio- Input- Video IN/OUTx2 (BNC) - S-Video- PC (36W - 13.8"x13.7"x7.9" -8.2lbs) No VESA Wall Mount. AC Adaptor, Remote Control - Made in S. Korea	834	555
	ULM-173	1284x1024 Resolution - 300cd/m2 Brightness - 1000:1 Contrast Ratio - Input - Video IN/OUTx2 (BNC) - S-Video - PC No VESA Wall Mount - AC Adaptor, Remote Control	1,048	702
	ULM-193	19" High Resolution Security Surveillance LCD Monitor 1284x1024 Resolution - 300cd/m2 Brightness - 800:1 Contrast Ratio - Input - Video IN/OUTx2 (BNC) - S - Video - PC No VESA Wall Mount - AC Adaptor, Remote Control (50W - 19.5"x19.9"x9.3" - 14.8 lbs) Made in S. Korea	1,262	839


	LCM-320A	32" High Performance LCD Monitor 1366x768 Resolution - 500cd/m2 Brightness - 1000:1 Contrast Ratio - Inputs - Video IN/OUTx2 - Component - S - Video - DVI - HDMI - (150W - 31.1"x19.1"x6.7" - 45.0 lbs) Made in S. Korea	3,258	2,172
	IK-PLB-1A	LCD Wall Mount (VESA 200 x 200) for LCM- 320A/420A	158	105
	LCM-420A	42" High Performance LCD Monitor 1366x768 Resolution - 500cd/m2 Brightness - 1100:1 Contrast Ratio Inputs - Video IN/OUTx2 (BNC) - Component - S - Video - DVI - HDMI (230W-41.7"x28.5"x12"- 71.2lbs) Made in S. Korea	3,689	2,459
	IK-PLB-1A	LCD Wall Mount (VESA 200 x 200) for LCM- 320A/420A	158	105
	LCM-840	8.4" High Resolution Security Surveillance LCD Monitor - 800x600 Resolution - 450cd/m2 Brightness - 500:1 Contrast Ratio - (24W - 8.67"x8.07"x2.13" - 3.74lbs) Made in S. Korea	898	597
	RMK-840	5RU dual LCD rackmount adaptor for two LCM-840s. Made in S. Korea	140	93

MONITORS

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u> (Power Consumption - Outer Dimension - Weight)	<u>LIST</u>	<u>DLR</u>
Public View LCD Monitor				
	LCM-205N*	20.1" Public View LCD Monitor 3 Line Comb Filter - Deinterlace - Ikegami ICD-505 Camera built-in - Adjustable View Angle 2.9-8.0mm Lens) (65W - 19.7"x18.3"x3.0" - 33.9 lbs) Made in S. Korea	2,132	1,418
	LCM-205MN*	LCM-205N w/ a card reader type. Made in S. Korea	2,454	1,632
	LCM-205W*	20.1" Public View LCD Monitor 3 Line Comb Filter - Deinterlace - Ikegami ISD-A10 Camera built-in - Adjustable View Angle 2.9-8.0mm Lens) (65W - 19.7"x18.3"x3.0" - 33.9 lbs) Made in S. Korea	2,674	1,778
	LCM-205MW*	LCM-205W w/ a card reader type. Made in S. Korea	2,994	1,991
	IK-1-336-V100	4ft Ceiling Mount for LCM-205N. Made in USA	324	215
	IK-4-Shaft	4ft Extension Shaft for IK-1-336-V100. Made in USA	86	57
WALL MOUNT BRACKET FOR LCD's				
	IK-LCD75-100-B	Meets VESA standard (75x75 & 100x100 mm), Left- Right Swivel 90 degrees, up-down tilt +&-20 degrees, Load up to 33 lbs/15 kgs, Includes screws for concrete and wood, plate Made in China	48	32

LENSES

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
1/3" FORMAT				
VARIFOCAL MANUAL IRIS 	IK-YV2.2x1.4A-2	1.4 - 3.1 mm - CS mount - F1.4 -C Made in China	230	153
	IK-YV2.7x2.9LA-2	2.9 - 8.0 mm - CS mount - F0.95 - Close Made in China	72	48
	IK-13VM308AS	3.0 - 8.0 mm - CS mount - F1.0 Aspherical Made in China	74	50
	IK-TV3X0310M	3.0 - 8.5 mm - CS mount - F1.0 - Close- ED - Aspherical. J	78	52
	IK-13VM2812ASW	2.8 - 12 mm - CS mount - F1.4 - Close Aspherical - Beige	94	63
	IK-TV4X2814M	2.8 - 12 mm - CS mount - F1.4 - Close Made in Japan	86	58
	IK-13VM550W	5.0 -50 mm - CS mount - F1.4 - Close- Aspherical- Beige	164	110
	IK-TV12X0516M	5.0 - 60 mm - CS mount - F1.6 - Close Made in Japan	150	101
VARIFOCAL DC-AUTO IRIS	IK-YV2.2x1.4A-SA2L	1.4 - 3.1 mm - CS mount - F1.4 - T360 Made in China	270	180
	IK-YV2.7x2.9LA-SA4	2.9-8.0 mm - CS mount - F0.95 - T360 Made in China	78	52
	IK-TV3X0310D	3.0 - 8.5 mm - CS mount - F1.0 - F360- ED - Aspherical. J	100	67
	IK-13VG2812ASW-SQ	2.8-12 mm - CS mount - F1.4 Aspherical - Beige China	122	82
	IK-TV4X2812D	2.8-12 mm - CS mount - F1.2 Made in Japan	106	71
	IK-TV4X2814D	2.8 - 12 mm - CS mount - F1.4 - F360 Made in Japan	118	79
	IK-TV7X7513D	7.5 - 50 mm- CS mount - F1.3 Made in Japan	152	102
	IK-13VG550W-SQ	5.0 -50 mm - CS mount - F1.4 - F360 - Aspherical - Beige Color. Made in China	182	122
	IK-TV12X0516D	5.0 - 60 mm - CS mount - F1.6 - F360 Made in Japan	166	111
	IK-13VG20100AS-SQ	20-100mm - CS Mount- F1.6 Made in China	284	189

1/2" FORMAT				
VARIFOCAL MANUAL IRIS	IK-DV5x3.6R4B-2	4.5 - 12.5 mm - CS mount - F1.2 - Close Made in Japan	122	82
	IK-H3Z4512 CS	4.5 - 12.5mm - CS mount - F1.2 - Close - Made in Japan	224	150
	IK-12VM412ASIR	4 - 12 mm - C mount - F1.2 - Close - IR- Aspherical China	170	114
	IK-DV10x7B-SA2L	7.0 - 70 mm - CS mount - F1.8 - C Made in China	216	145
	IK-12VM1040ASIR	10 - 40 mm - C mount - F1.4 - Close - IR- Aspherical China	194	130
VARIFOCAL DC-AUTO IRIS 	IK-DV5x3.6R4B-SA2L	3.6 - 18 mm - CS mount - F1.8 - T360 Made in China	150	101
	IK-H3Z4512FCS	4.5 - 12.5 mm - CS mount - F1.2 - T360 Made in Japan	256	170
	IK-12VG412ASIR-SQ	4 - 12 mm - C mount - F1.2 - 360 - IR- Aspherical China	194	130
	IK-HV7517D	7.5 - 75 mm - C mount - F1.7 - T360 Made in Japan	292	196
	IK-12VG1040ASIR-SQ	10 - 40 mm - C mount - F1.4 - F360 - IR - Aspherical China	212	142
IK-TV1016DC	10 - 120mm - C mount - F1.6 - T360 Made in Japan	418	280	

*C mount Lenses Require CMA-40 Adaptor on CS mount Cameras





<u>C MOUNT ADAPTOR & 4 PIN AUTO IRIS LENS CONNECTOR</u>				
	CMA-40	C-Mount ADAPTOR RING	8	5

ACCESSORIES

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
HOUSINGS				
	IK-SP101	5" High Hat In Ceiling dome housing fit for ICD-38/ 47/ 505/ 508/ 808/ 828/ 848 w/ Lens	92	62
	CAMH-400K	12" INDOOR/ OUTDOOR HOUSING w/ Mount Fit for ICD-38/505/508/49/ISD-A10 w/ Lens- (9" x 6" x 4.5" - 2.0 lbs) Made in China	62	42
	CAMH-500K	12" OUTDOOR HOUSING w/ Mount - Heater & Blower - (24VAC/36VA - 15" x 5.6" x 4.5" - 2.1 lbs) Made in China	94	63
	CAMH-200B	15" OUTDOOR HOUSING w/ Mount - Heater & Blower - (24VAC/36VA - 15" x 5.6" x 4.5" - 2.1 lbs) Made in China	78	52
MOUNTS				
	*WH-4	WALL / CEILING & T- Bar Mount(Black) Made in USA	26	17
	WH-4M	MINI-Mount w/ Boot (Black) for ICD-505 Made in USA	20	13
	WH-4GM	MINI-Mount w/ Boot (Gray) for ICD-505 Made in USA	20	13
	CMB-1W	Universal metal bracket with ceiling clip and 2 extender(Grey) Made in China	20	13
	WH-4GMH	MINI-Mount w/ Cable Hole(Grey) Made in USA	26	17
POWER SUPPLY				
	PS-2410	24VAC 10VA Plug-in TRANSFORMER (White) Made in China	10	7
	MGT2450	24VAC 50VA Plug-in TRANSFORMER (White) Made in China	18	12
	DPS9	MULTI-CAMERA (9x24VAC) POWER SUPPLY Made in China	118	79
	DPS16	MULTI-CAMERA (16x24VAC) POWER SUPPLY Made in China	206	138
LINE DISTRIBUTION AMPLIFIERS				
	IK-LDA-100	VIDEO LINE AMP - w/ Gain Control - Auto-sensing 24VAC/12VDC - 50/60Hz Made in USA	202	135
	IK-DA-12	1x2 VIDEO DISTRIBUTION AMP - Auto-sensing 24VAC/12VDC - 50/60Hz Made in USA	182	122
	IK-DA-14	1x4 VIDEO DISTRIBUTION AMP - Auto-sensing 24VAC/12VDC - 50/60Hz Made in USA	230	154






*Limited quantity available

ACCESSORIES

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
SEQUENTIAL SWITCHERS				
	IK-CTS-2	2 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	192	129
	IK-CTS-4	4 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	226	151
	IK-CLTS-4	4 Camera Input (Looping) SEQUENTIAL SWITCHER w/ Terminations Made in USA	248	166
	IK-CTS-8	8 Camera Input SEQUENTIAL SWITCHER w/ Terminations Made in USA	390	261
	IK-CLTS-8	8 Camera Input (Looping) SEQUENTIAL SWITCHER w/ Terminations Made in USA	434	291
QUAD		Color 4 Camera simple Quad w/Sequencer, Loop out Made in Taiwan	466	310
MULTIPLEXERS				
	*IK-9116	16 CH B/W Duplex Multiplexer Made in Taiwan	1,070	717

*Limited quantity available

ACCESSORIES

<u>CATEGORY</u>	<u>MODEL</u>	<u>DESCRIPTION</u>	<u>LIST</u>	<u>DLR</u>
EMBEDDED NON-PC BASE STAND ALONE DIGITAL VIDEO RECORDER				
	SDR-304/120	4CH, MPEG4 compression with total rate of 240 fps in CIF resolution, BNC, VGA, S-Video, RCA and Spot Video Output. Equipped with 500GB HDD as standard and available up to 1.5 TB (750GB HDD x 2) Made in S. Korea	812	544
	SDR-404/500	4", MPEG4 compression w/total rate of 240 fps in CIF resolution, BNC, VGA, S-Video, RCA & Spot Video Output. Equipped w/500GB HDD as standard. Made in S. Korea	2,308	1,535
	SDR-308/500	8", MPEG4 compression with total rate of 240 fps in CIF resolution, BNC, VGA, S-Video, RCA and Spot Video Output. Equipped with 500GB HDD as standard - Made in S. Korea	2,908	1,934
	SDR-316/500	16", MPEG4 compression with total rate of 240 fps in CIF resolution, BNC, VGA, S-Video, RCA and Spot Video Output. Equipped with 500GB HDD as standard - Made in S. Korea	3,360	2,234
W	VIDEO TRANSMISSION SYSTEM			
	VW-5	5GHz Wireless Video/Audio Transmission (6.5W - 8.7" x 5.9" x 1.8" - 0.9 lbs) Made in China	1,726	1,156

*****IMPORTANT INFORMATION*****
ALL PRICING BASED UPON NET-30 DAY TERMS, F.O.B. MAYWOOD, NJ or F.O.B. RANCHO DOMINGUEZ, CA
*****WARRANTY INFORMATION*****

Ikegami USA offers you a limited warranty of the following product sold and effective in US will be free from defects in material workmanship as follows.

A. Limited warranty- For a period of a following year from the date of purchase, Ikegami will not charge you the parts and labor but you must pay one way shipping freight. After this warranty period, you must pay all parts, shipping and labor charges.

B. Repairs- For a period equal to the remainder of the original limited warranty period on an original product or for the 180 day: date of repair/replacement, whichever is longer, Ikegami will repair or replace defective parts or products used in the repair or re of the original product under this limited warranty

Proof of purchase in the form of a bill of sale or received invoice warranty repair document which is evidence that the product is period must be presented to obtain warranty service.

This limited warranty does not cover and is void with respect to the following.

(i) Products which have been improperly installed, repaired, maintained or modified.

(ii) Products which have been subjected to misuse, abuse accident, physical damage, abnormal operation, improper handling and exposure to fire, water or excessive moisture or dampness or excessive changes in climate or temperature.

(iii) Products operated outside published maximum rating

(iv) Cosmetic damage, etc.

CCTV Camera- One (1) Year

ICD-38/ 47/ 48/ 49/ 50/509/608/609/809/879 = 10 Year

ISD-A10/ A20/ A21/ A30/ A31/ PCS-35 = 5Year

*** Need to register at Ikegami web-site <http://www.ikegami.com>**

CCTV CRT Monitors = **1 Year** Limited Warranty Parts & Labor

CCTV LCD Monitors = **1 Year** Limited Warranty Parts & Labor

SDR-404/308/316 DVR= **2 Year** Limited Warranty Parts & Labor

Other Ikegami Products = **1 Year** Limited Warranty Parts & Labor

Any Vendor Products- As per Vendor's Warranty

For repair return, please obtain Repair RA# at 310-297-1905 or 310-297-1907

Y & PROCEDURE *****

Restocking Changes

Please Be Advised of the following Restocking Changes that will apply to all Returned merchandise

0 - 30 days = 10% restocking fee

30 - 90 days = 15% restocking fee

90 - 120 days = 25% restocking fee

Request for return of Merchandise After Four (4) months will not be Accepted

To Avoid Additional Charges All Returns Must be in Brand New Condition, including Original Box with Any of the missing items will be charged. For return, obtain a Credit RA # at 201-368-9171 Customer S

Out of Box Failure

90 Days from Delivery date to EndUser. Delivery Date Must be Properly Documented with Proof.

Obtain Authorized Ikegami RA Number for Replacement at No Charge.

Customer Service at 310-297-1905

ANY FAILURE PRODUCTS MUST BE RETURNED IN ORIGINAL BOX WITH STANDARD ACC THIS POLICY DOES NOT APPLY TO ANY PRODUCT THAT HAS EXTERIOR DAMAGE, OR HAS BEEN DEFACED, OR WHICH HAS BEEN SUBJECT TO MISUSE, ABUSE, TAMPERING, INCORRECT VOLTAGE, IMPROPER, INSTALLATION, SERVICE OR HANDLING, OR WHICH HAS BEEN SERVICED BY SOMEONE OTHER THAN IKEGAMI.

Ikegami Labor Charges for Repair

IN-HOUSE WORK : \$95.00 per HOUR

OUTSIDE WORK : \$520.00 per DAY + expenses or \$300.00 per HALF DAY + expense:

HEADQUARTERS: 37 BROOK AVENUE MAYWOOD, NJ 07607 TEL: 800-368-9171 FAX: 201-368-1305
WEST COAST OFFICE : 2631 MANHATTAN BEACH BLVD, REDONDO BEACH, CA 90278 TEL: 310-297-1900 FAX: 310-536-8
Prices are subject to change

Web: <http://www.ikegami.com>